

# DEVELON

Europe

# Full liner



# MINI EXCAVATORS



**DX10Z-7**

**DX17Z-7**

<b>Operating weight</b>	kg	1165	1850
<b>Engine power</b>	hp/kW @ rpm	10.33/7.4 @ 2050	16.5/11.9 @ 2400
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.024	0.04
<b>Battery capacity</b>	kW	-	-
<b>Charging time</b>	-	-	-



**DX25Z-7**

**DX27Z-7**

**DX35Z-7**

	2691	2730	3499
	24.8 /18.5 @ 2600	24.8/18.5 @ 2400	24.8/18.4 @ 2400
	0.07	0.08	0.11

**DX10Z-7**

**DX17Z-7**

**DX19-7**

**DX20Z**

<b>Operating weight</b>	kg	1165	1850	1885	1995
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.024	0.04	0.04	0.05
<b>Battery capacity</b>	kW	-	-	-	-
<b>Charging time</b>	-	-	-	-	-
<b>Travel speed</b>	km/h	3.4 - 1.7	2.21 - 4.09	2.06 - 3.73	-
<b>Engine model</b>	-	Kubota D722	Kubota D902	Kubota D902	Yanmar 3TNV70
<b>Power</b>	hp/kW @ rpm	10.33/7.4 @ 2050	16.5/11.9 @ 2400	16.5/11.9 @ 2400	13.8 /10.3 @ 2200
<b>Emission standard</b>	-	Stage V	Stage V	Stage V	Stage V
<b>Digging reach</b>	mm	3400	3910	3940	3975
<b>Digging depth</b>	mm	1815	2240	2340	2345
<b>Digging height</b>	mm	2205	3730	3470	2750
<b>Length</b>	mm	3010	3531	3837	3483
<b>Width</b>	mm	1100 (730)	1290 (994)	1290 (994)	1360 (950)
<b>Height</b>	mm	2220	2320	2299	2360



**DX19-7**



**DX20Z**



**DX20ZE**

1885	1995	1941
16.5/11.9 @ 2400	13.8 /10.3 @ 2200	-
0.04	0.05	0.05
-	-	20.4 kW
-	-	8 hrs slow charger 1.5 hrs fast charger



**DX50Z-7**



**DX55R-7**

5438	5740
48.8/36.4 @ 2200	48.8/36.4 @ 2200
0.16	0.16

<b>DX20ZE</b>	<b>DX25Z-7</b>	<b>DX27Z-7</b>	<b>DX35Z-7</b>	<b>DX50Z-7</b>	<b>DX55R-7</b>
1941	2691	2730	3499	5438	5740
0.05	0.07	0.08	0.11	0.16	0.16
20.4 kW	-	-	-	-	-
8 hrs slow charger 1.5 hrs fast charger	-	-	-	-	-
-	-	2.5 - 4.3	2.6 - 4.7	2.6 - 4.4	2.6 - 4.4
-	Kubota D1305	Kubota V1505	Develon D17	Develon D18	Develon D18
-	24.8/18.5 @ 2600	24.8/18.5 @ 2400	24.8/18.4 @ 2400	48.8/36.4 @ 2200	48.8/36.4 @ 2200
-	Stage V	Stage V	Stage V	Stage V	Stage V
3975	4725	4845	5355	5945	6090
2350	2690	2845	3275	3480	3630
2625	4290	4515	3580	5575	5680
3460	4170	4190	4760	5386	5400
1360 (950)	1554	1550	1700	1980	1980
2345	2452	2442	2479	2575	2575

# MINI EXCAVATORS

<b>Operating weight</b>	kg
<b>Engine power</b>	hp/kW @ rpm
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>



## DX63-7

<b>Operating weight</b>	kg	6218
<b>Engine power</b>	hp/kW @ rpm	65/44.3 @ 2300
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.175

## DX62R-7

<b>Operating weight</b>	kg	6216
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.175
<b>Travel speed</b>	km/h	2.8 - 4.7
<b>Engine model</b>	-	Develon D24
<b>Power</b>	hp/kW @ rpm	65/44.3 @ 2300
<b>Emission standard</b>	-	Stage V
<b>Digging reach</b>	mm	6610
<b>Digging depth</b>	mm	4095
<b>Digging height</b>	mm	6025
<b>Length</b>	mm	5631
<b>Width</b>	mm	1980
<b>Height</b>	mm	2575



### DX62R-7

6216

65/44.3  
@ 2300

0.175



### DX85R-7

9520

65/48.5 @ 2100

0.28

### DX63-7

6218

0.175

2.8 - 4.7

Develon  
D24

65/44.3  
@ 2300

Stage V

6440

4095

6025

5571

1980

2575

### DX85R-7

9520

0.28

2.7 - 4.7

Develon  
D24

65/48.5  
@ 2100

Stage V

7530

4665

7035

6265

2250

2657

# WHEELED EXCAVATORS



**DX57W-7**

**DX100W-7**

<b>Operating weight</b>	kg	5800	10700
<b>Engine power</b>	hp/kW @ rpm	52.3/42.5 @ 2400	100/75 @ 2000
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.175	0.3



**DX165WR-7K**



**DX170W-7K**

		17400 - 18900	17700 - 19300
		137/102 @ 2200	152/113 @ 2000
		0.7	0.75

		<b>DX57W-7</b>	<b>DX100W-7</b>	<b>DX140W-7K</b>
<b>Operating weight</b>	kg	5800	10700	15800 - 17000
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.175	0.3	0.6
<b>Travel speed</b>	km/h	10 - 30	5.4 - 37.4	3.5 - 37
<b>Engine model</b>	-	Develon D24	Develon D34	Develon DL06V
<b>Power</b>	hp/kW @ rpm	52.3/42.5 @ 2400	100/75 @ 2000	152/113 @ 2000
<b>Emission standard</b>	-	Stage V	Stage V	Stage V
<b>Digging reach</b>	mm	6108	7820	7585
<b>Digging depth</b>	mm	3495	4245	4490
<b>Digging height</b>	mm	5976	8265	8195
<b>Length</b>	mm	5896	5713	8043
<b>Width</b>	mm	1947	2450	2495
<b>Height</b>	mm	2861	3011	3052
<b>Arm length</b>	mm	1600	2250	2100



### DX140W-7K

15800 - 17000

152/113 @2000

0.6



### DX160W-7K

17500 - 18100

152/113 @2000

0.7



### DX190W-7K

18320 - 20410

174/130 @ 1900

0.8



### DX210W-7K

21900 - 23000

189/141 @ 1900

0.9

### DX160W-7K DX165WR-7K DX170W-7K DX190W-7K DX210W-7K

DX160W-7K	DX165WR-7K	DX170W-7K	DX190W-7K	DX210W-7K
17500 - 18100	17400 - 18900	17700 - 19300	18320 - 20410	21900 - 23000
0.7	0.7	0.75	0.8	0.9
3.5 - 37	3 - 34	3.0 - 37	3.5 - 37	4.0 - 35
Develon DL06V	Perkins 1204J	Develon DL06V	Develon DL06V	Develon DL06V
152/113 @ 2000	137/102 @ 2200	152/113 @ 2000	174/130 @ 1900	189/141 @ 1900
Stage V	Stage V	Stage V	Stage V	Stage V
8235	8235	8875	9255	9980
5020	5020	5315	5725	6160
8850	8850	9140	9440	10140
8205	8205	8644	8867	9477
2495	2490	2530	2530	2495
3052	3102	3087	3131	3155
2500	2500	2500	2600	3000

# CRAWLER EXCAVATORS



## DX140LCR-7 DX140LC-7

<b>Operating weight</b>	kg	15500	14400
<b>Engine power</b>	hp/kW @ rpm	115/86 @ 2000	115/86 @ 2000
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.75	0.75



## DX210LC-7



## DX210NLC-7

	21700	21700
	166/124 @ 1800	166/124 @ 1800
	1.2	1.2

## DX140LCR-7 DX140LC-7 DX160LC-7HT

<b>Operating weight</b>	kg	15500	14400	16800
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.75	0.75	0.8
<b>Travel speed</b>	km/h	2.9 - 4.7	2.9 - 4.7	2.3 - 3.7
<b>Engine model</b>	-	Develon G2 D34	Develon G2 D34	Develon G2 D34
<b>Power</b>	hp/kW @ rpm	115/86 @ 2000	115/86 @ 2000	115/86 @ 2000
<b>Emission standard</b>	-	Stage V	Stage V	Stage V
<b>Digging reach</b>	mm	8285	8285	8285
<b>Digging depth</b>	mm	5485	5635	5635
<b>Digging height</b>	mm	9265	8660	8660
<b>Length</b>	mm	7360	7685	7685
<b>Width</b>	mm	2590	2590	2590
<b>Height</b>	mm	2835	2785	2785
<b>Arm length</b>	mm	2500	2500	2500





### DX160LC-7HT

16800

115/86 @ 2000

0.8



### DX210-7

21300

166/124 @ 1800

1.1



### DX225LC-7 & 7X

23300

174/129 @ 1800

1.3



### DX235LC-7

23000

174/129 @ 1800

1.4

#### DX210-7

#### DX210LC-7

#### DX210NLC-7

#### DX225LC-7 & 7X

#### DX235LC-7

21300

21700

21700

23300

23000

1.1

1.2

1.2

1.3

1.4

3.2 - 5.9

3.2 - 5.9

3.2 - 5.9

3.1 - 5.5

3.0 - 5.3

Develon DL06V Develon DL06V

Develon DL06V

Develon DL06V

Develon DL06V

166/124 @ 1800

166/124 @ 1800

166/124 @ 1800

174/129 @ 1800

174/129 @ 1800

Stage V

Stage V

Stage V

Stage V

Stage V

9535

9535

9535

9865

9895

6270

6270

6270

6590

6595

9330

9330

9330

9620

9555

9445

9445

9445

9570

9522

2800

2990

2540

2990

2990

3139

3139

3139

3005

3139

2600

2600

2600

2900

2900

# CRAWLER EXCAVATORS



**DX235LCR-7 DX245NHD-7**

<b>Operating weight</b>	kg	24300	25100
<b>Engine power</b>	hp/kW @ rpm	174/129 @ 1800	174/129 @ 1800
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	1.4	1.3



**DX350LC-7**

**DX380LC-7**

	36.100	40.200
	285.6/213 @ 1800	326/240 @ 1800
	1.85	2.0

**DX235LCR-7 DX245NHD-7 DX255LC-7**

<b>Operating weight</b>	kg	24300	25100	25700
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	1.4	1.3	1.5
<b>Travel speed</b>	km/h	3.2 - 5.8	3.0 - 5.3	3.2 - 5.6
<b>Engine model</b>	-	Develon DL06V	Develon DL06V	Develon DL06V
<b>Power</b>	hp/kW @ rpm	174/129 @ 1800	174/129 @ 1800	189/141.3 @ 1900
<b>Emission standard</b>	-	Stage V	Stage V	Stage V
<b>Digging reach</b>	mm	9830	9465	10175
<b>Digging depth</b>	mm	6680	6095	6810
<b>Digging height</b>	mm	10805	9450	9705
<b>Length</b>	mm	8970	9566	10080
<b>Width</b>	mm	2990	2540	3000 - 3200
<b>Height</b>	mm	3123	3190	3200
<b>Arm length</b>	mm	2900	2400	3000



### DX255LC-7

25700

189/141.3 @ 1900

1.5



### DX300LC-7

31500

271/202 @ 1800

1.7



### DX420LC-7

43500

344.4/257 @ 1800

2.2



### DX490LC-7

50400

394/294 @ 1800

3.0

#### DX300LC-7

#### DX350LC-7

#### DX380LC-7

#### DX420LC-7

#### DX490LC-7

31500

36.100

40.200

43500

50400

1.7

1.85

2.0

2.2

3.0

3.0 - 5.5

3.5 - 5.7

3.0 - 5.4

3.2 - 5.3

3.2 - 5.6

Develon DL08V

Develon DL08V

Scania DC09

Scania DC13

Scania DC13

271/202  
@ 1800

285.6/213  
@ 1800

326/240  
@ 1800

344.4/257  
@ 1800

394/294  
@ 1800

Stage V

Stage V

Stage V

Stage V

Stage V

10725

10980

11170

11430

12125

7305

7540

7415

7635

7790

10325

10325

10435

10615

11050

10605

11350

11285

11740

12230

3000 - 3200

3000 - 3280

3000 - 3350

3350

2990 - 3490  
3340 - 3900

3050

3390

3415

3355

3350

3100

3200

3200

3250

3350

# CRAWLER EXCAVATORS



**DX530LC-7**

<b>Operating weight</b>	kg	52900
<b>Engine power</b>	hp/kW @ rpm	394/294 @ 1800
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	3.3



**DX800LC-7**

	79500
	539/402 @ 2100
	4.6



**DX1000LC-7**

	99500
	629/469 @ 2000
	6.8

**DX530LC-7 DX800LC-7 DX1000LC-7**

		DX530LC-7	DX800LC-7	DX1000LC-7
<b>Operating weight</b>	kg	52900	79500	99500
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	3.3	4.6	6.8
<b>Travel speed</b>	km/h	3.2 - 5.6	2.9 - 4.8	3.2 - 5.6
<b>Engine model</b>	-	Scania DC13	Perkins 2506	Perkins 2806
<b>Power</b>	hp/kW @ rpm	394/294 @ 1800	539/402 @ 2100	629/469 @ 2000
<b>Emission standard</b>	-	Stage V	Stage V	Stage V
<b>Digging reach</b>	mm	10735	11250	12430
<b>Digging depth</b>	mm	6755	6685	7260
<b>Digging height</b>	mm	9630	10700	12425
<b>Length</b>	mm	11530	12230	11530
<b>Width</b>	mm	2990 - 3490 3340 - 3900	3400 - 4000	3440 - 4200
<b>Height</b>	mm	3350	3540	3615
<b>Arm length</b>	mm	2900	3350	2900

# WHEEL LOADERS



## DL200-7

<b>Operating weight</b>	kg	12047
<b>Engine power</b>	hp/kW @ rpm	144/106 @ 2200
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	2.0



## DL220-7

	13300
	160/119 @ 2100
	2.3



## DL250-7

	13900
	172/128 @ 2100
	2.5

		DL200-7	DL220-7	DL250-7
<b>Operating weight</b>	kg	12047	13300	13900
<b>Bucket range (GP)</b>	m <sup>3</sup>	1.9 - 2.2	2.2 - 2.5	2.4 - 2.7
<b>Engine model</b>	-	Perkins 1204J	Develon DL06	Develon DL06
<b>Power</b>	hp/kW @ rpm	144/106 @ 2200	160/119 @ 2100	172/128 @ 2100
<b>Emission standard</b>	-	Stage V	Stage V	Stage V
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	2.0	2.3	2.5
<b>Tipping load (straight/full turn at 40°)</b>	kg	10124/8933	10652/9383	11015/9696
<b>Max. dump height on pivot</b>	mm	3716	3853	3853
<b>Breakout force</b>	kN	98	97	116
<b>Maximum speed</b>	km/h	40	40	40
<b>Turning radius at bucket</b>	mm	5414	6016	6115
<b>Tires</b>	-	20.5 R25	20.5 R25	20.5 R25
<b>Length</b>	mm	7208	7458	7487
<b>Width - at tires edge</b>	mm	2539	2539	2539
<b>Height</b>	mm	3313	3313	3313

# WHEEL LOADERS



## DL280-7

## DL320-7

<b>Operating weight</b>	kg	15562	19493
<b>Engine power</b>	hp/kW @ rpm	190/141 @ 2000	271/202 @ 1800
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	2.8	3.3



## DL420CVT-7

## DL480-7

	23990	26444
	326/240 @ 1800	345/257 @ 1800
	4.5	4.8

		DL280-7	DL320-7	DL380-7
<b>Operating weight</b>	kg	15562	19493	20269
<b>Bucket range (GP)</b>	m <sup>3</sup>	2.7 - 3.1	3.3 - 3.8	3.7 - 4.1
<b>Engine model</b>	-	Develon DL06	Develon DL08	Develon DL08
<b>Power</b>	hp/kW @ rpm	190/141 @ 2000	271/202 @ 1800	271/202 @ 1800
<b>Emission standard</b>	-	Stage V	Stage V	Stage V
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	2.8	3.3	3.7
<b>Tipping load (straight/full turn at 40°)</b>	kg	12247/10765	15948/14079	16248/14341
<b>Max. dump height on pivot</b>	mm	3934	4175	4175
<b>Breakout force</b>	kN	140	170	181
<b>Maximum speed</b>	km/h	40	40	40
<b>Turning radius at bucket</b>	mm	6182	6748	6797
<b>Tires</b>	-	20.5 R25	23.5 R25	23.5 R25
<b>Length</b>	mm	7669	8530	8530
<b>Width - at tires edge</b>	mm	2550	2845	2845
<b>Height</b>	mm	3360	3511	3511



### DL380-7

20269

271/202 @ 1800

3.9



### DL420-7

23990

345/257 @ 1800

4.5



### DL550-7

33209

380/283 @ 1800

5.4



### DL580-7

34311

400/294 @ 1800

6.0

DL420-7	DL420CVT-7	DL480-7	DL550-7	DL580-7
23990	23990	26444	33209	34311
4.3 - 5.0	4.3 - 5.0	4.8 - 5.3	5.4 - 5.9	6.0 - 6.6
Scania DC13	Scania DC09	Scania DC13	Scania DC13	Scania DC13
345/257 @ 1800	326/240 @ 1800	345/257 @ 1800	380/283 @ 1800	400/294 @ 1800
Stage V	Stage V	Stage V	Stage V	Stage V
4.3	4.3	4.8	5.4	6.0
19351/17071	19351/17071	20717/18282	24830/21897	27355/24315
4265	4265	4519	4806	4996
183	183	224	230	264
40	40	40	40	40
7065	7065	7352	7573	7596
26.5 R25	26.5 R25	26.5 R25	29.5 R25	29.5 R25
9138	9138	9454	9885	10059
2982	2982	2982	3289	3289
3660	3660	3635	3863	3863

# COMPACT WHEEL LOADERS



## DL60-7

<b>Operating weight</b>	kg	3750
<b>Engine power</b>	hp/kW	66/48.5
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.6



## DL80TL-7

	5200
	75/55
	0.9

		DL60-7	DL65-7
<b>Operating weight</b>	kg	3750	3650
<b>Bucket range (GP)</b>	m <sup>3</sup>	0.4 - 1.2	0.4 - 1.2
<b>Engine model</b>	-	Kubota V2403	Kubota V2403
<b>Power</b>	hp/kW	66/48.5	66/48.5
<b>Emission standard</b>	-	Stage V	Stage V
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.6	0.6
<b>Tipping load (straight/full turn at 40°)</b>	kg	2160/1840	2325/1985
<b>Max. lifting height (pallet forks)</b>	mm	3290	2670
<b>Maximum speed</b>	km/h	30	30
<b>Tires</b>	-	11.5/80 - 15.3	11.5/80 - 15.3
<b>Length</b>	mm	4660	4595
<b>Width – at tires edge</b>	mm	1340	1340
<b>Height</b>	mm	2275	2275





### DL65-7

3650

66/48.5

0.6



### DL80-7

5200

75/55

0.9



### DL85-7

5100

75/55

0.9

### DL80-7

5200

0.6 - 2.0

Kubota V3307

75/55

Stage V

0.9

2965/2480

3500

20 - 35

11.5/80 - 15.3

5002

1460

2523

### DL80TL-7

5200

0.6 - 2.0

Kubota V3307

75/55

Stage V

0.9

2430/2050

4350

20 - 35

11.5/80 - 15.3

5310

1460

2523

### DL85-7

5100

0.6 - 2.0

Kubota V3307

75/55

Stage V

0.9

3220/2735

2850

20 - 35

11.5/80 - 15.3

4993

1460

2523

# ARTICULATED DUMP TRUCKS

<b>Maximum payload</b>	kg
<b>Maximum power (ISO 3046)</b>	kW @ rpm
<b>Body capacity heaped (without/with tailgate)</b>	m <sup>3</sup>



## DA45-7

	41000
	368 @ 2100
	24.4/26.1

## DA30-7

<b>Speeds - forward</b>	km/h	6 - 8 - 11 - 16 - 23 - 32 - 45 - 55
<b>Speeds - reverse</b>	km/h	6 - 8 - 11 - 16
<b>Engine model</b>	-	Scania DC9
<b>Power</b>	kW @ rpm	276 @ 2100
<b>Emission standard</b>	-	Stage V
<b>Transmission model</b>	-	ZF 8 EP320
<b>Weight empty front/rear axle</b>	kg	12700/10500
<b>Weight loaded front/rear axle</b>	kg	15872/35328
<b>Net weight</b>	kg	23200
<b>Length</b>	mm	9534
<b>Width</b>	mm	2967
<b>Total height</b>	mm	3560



## DA30-7

28000

276 @ 2100

16.8/17.8



## DA45-7 4X4

41000

368 @ 2100

25.7

### DA45-7

### DA45-7 4X4

5 - 8 - 11 - 16 - 23 - 32 - 45 - 55

5 - 8 - 11 - 16 - 23 - 32 - 45 - 55

5 - 8 - 11 - 16

5 - 8 - 11 - 16

Scania DC13

Scania DC13

368 @ 2100

368 @ 2100

Stage V

Stage V

ZF 8 EP420

ZF 8 EP420

14200/15900

14500/16000

22041/49059

22165/49335

30100

30500

10590

10187

3475

3990

3850

3850

# SLR MACHINES



## SLR and Semi-SLR

## DX225LC-7 SLR

<b>Operating weight</b>	kg	24600
<b>Bucket capacity (SAE)</b>	m <sup>3</sup>	0.45
<b>Travel speed</b>	km/h	3.1 - 5.5
<b>Engine model</b>	-	Develon DL06V
<b>Power</b>	hp/kW @ rpm	174/129 @ 1800
<b>Emission standard</b>	-	Stage V
<b>Digging reach</b>	mm	15365
<b>Digging depth</b>	mm	11660
<b>Digging height</b>	mm	13045
<b>Length</b>	mm	12390
<b>Width</b>	mm	3190
<b>Height</b>	mm	3385



### DX300LC-7 SLR

### DX530LC-7 Semi SLR

### DX530LC-7 SLR

33000	51900	52200
0.64	1.27	0.92
3.0 - 5.5	3.2 - 5.6	3.2 - 5.6
Develon DL08P	Scania DC13	Scania DC13
271/202 @ 1800	394/294 @ 1800	394/294 @ 1800
Stage V	Stage V	Stage V
17510	16060	19615
13780	11795	15125
14195	12755	14435
14320	14155	16195
3400	3340 - 3900	3340 - 3900
3475	3910	4070

# MATERIAL HANDLING MACHINES



## Material Handling Machines

## DX270WHM-7 Straight Arm

<b>Arm configuration</b>		Straight
<b>Operating weight</b>	kg	28300
<b>Travel speed</b>	km/h	4 / 9 / 20
<b>Engine model</b>	-	Develon DL06V
<b>Power (SAE J1995)</b>	hp/kW @ rpm	189/141 @ 1900
<b>Emission standard</b>	-	Stage V
<b>Max. pin height</b>	mm	12775
<b>Max. working reach</b>	mm	11155
<b>Max. working depth</b>	mm	4270
<b>Boom length</b>	mm	6,6
<b>Arm length</b>	mm	4,5
<b>Min. swing radius</b>	mm	2855
<b>Elevating height</b>	mm	2600



## Material Handling Machines

## DX270WHM-7 Gooseneck Arm

<b>Arm configuration</b>		Gooseneck	Long gooseneck
<b>Operating weight</b>	kg	28100	28700
<b>Travel speed</b>	km/h	4 / 9 / 20	4 / 9 / 20
<b>Engine model</b>	-	Develon DL06V	Develon DL06V
<b>Power (SAE J1995)</b>	hp/kW @ rpm	189/141 @ 1900	189/141 @ 1900
<b>Emission standard</b>	-	Stage V	Stage V
<b>Max. pin height</b>	mm	12955	13830
<b>Max. working reach</b>	mm	11525	12410
<b>Max. working depth</b>	mm	4830	5355
<b>Boom length</b>	mm	6,6	7,1
<b>Arm length</b>	mm	5	5,4
<b>Min. swing radius</b>	mm	2855	2855
<b>Elevating height</b>	mm	2600	2600

# TUNNELING MACHINES



## Tunneling Machines

## DX235RTF-7

Operating weight	kg	25689
Boom tilting angle	°	2 x 45
Travel speed	km/h	3,2 - 5,8
Engine model		Develon DL06V
Power	hp/kW @ rpm	189/141 @ 1900
Emission standard		Stage V
Digging reach	mm	9260
Digging depth	mm	5130
Digging height	mm	9900
Length	mm	9750
Width	mm	2990
Height	mm	3080





## DX140RDM-7

Configuration		Monolithic HRD	Interchangeable HRD	Interchangeable Digging
Operating weight	kg	22500	23100	22100
Travel speed	km/h	2,9 - 4,7	2,9 - 4,7	2,9 - 4,7
Engine model	-	Develon G2 D34	Develon G2 D34	Develon G2 D34
Power SAE J1995	hp/kW @ rpm	115/86 @ 1800	115/86 @ 1800	115/86 @ 1800
Emission standard	-	Stage V	Stage V	Stage V
Number of cylinders	-	4	4	4
Pin height	mm	16100	16100	-
Max tool weight	kg	1450 kg	1250 kg	-
Max GP Bucket	m <sup>3</sup>	-	-	0.76
Track length	mm	4130	4130	4130
Transport width	mm	2590	2590	2590
Variable undercarriage width	mm	2540 3740	2540 3740	2540 3740
Overall height	mm	3020	3020	3020
Shoe width	mm	500	500	500

# DEMOLITION MACHINES



## Demolition Machines

		DX245DM-7	DX245DM-7
<b>Configuration</b>		HRD	Digging
<b>Operating weight</b>	kg	30800	28900
<b>Travel speed</b>	km/h	3.0 - 5.5	3.0 - 5.5
<b>Engine model</b>	-	Develon DL06P	Develon DL06P
<b>Power (SAE J1995)</b>	hp/kW @ rpm	173/129 @ 1800	173/129 @ 1800
<b>Emission standard</b>	-	Stage V	Stage V
<b>Pin reach</b>	mm	12900	8170
<b>Pin depth</b>	mm	N/A	4785
<b>Pin height</b>	mm	18070	8155
<b>Overall length</b>	mm	11460	9590
<b>Width superstructure</b>	mm	2540	2540
<b>Variable undercarriage width</b>	mm	2540 ~ 3740	2540 ~ 3740
<b>Overall height</b>	mm	3150	3150



### DX380DM-7

### DX380DM-7

		HRD	Digging
<b>Configuration</b>		HRD	Digging
<b>Operating weight</b>	kg	47400	44800
<b>Travel speed</b>	km/h	3.0 - 5.4	3.0 - 5.4
<b>Engine model</b>	-	Scania DC09	Scania DC09
<b>Power (SAE J1995)</b>	hp/kW @ rpm	327/240 @ 1800	327/240 @ 1800
<b>Emission standard</b>	-	Stage V	Stage V
<b>Pin reach</b>	mm	14500	10200
<b>Pin depth</b>	mm	N/A	5500
<b>Pin height</b>	mm	23000	9200
<b>Overall length</b>	mm	15200	11285
<b>Width superstructure</b>	mm	2990	2990
<b>Variable undercarriage width</b>	mm	2970 ~ 4370	2970 ~ 4370
<b>Overall height</b>	mm	3148	3148

# DEMOLITION MACHINES



## Demolition Machines

		DX530DM-7	DX530DM-7
<b>Configuration</b>		HRD	Digging
<b>Operating weight</b>	kg	60500	56800
<b>Travel speed</b>	km/h	3.1 - 5.5	3.1 - 5.5
<b>Engine model</b>	-	Scania DC13	Scania DC13
<b>Power (SAE J1995)</b>	hp/kW @ rpm	394/294 @ 1800	394/294 @ 1800
<b>Emission standard</b>	-	Stage V	Stage V
<b>Pin reach</b>	mm	16500	10300
<b>Pin depth</b>	mm	N/A	5965
<b>Pin height</b>	mm	27500	9690
<b>Length</b>	mm	18500	12230
<b>Width</b>	mm	2990	2990
<b>Variable undercarriage width</b>	mm	2970 ~ 4370	2970 ~ 4370
<b>Height</b>	mm	3360	3360



### DX530DM-7

### DX530DM-7

		HRD	Digging
<b>Configuration</b>		HRD	Digging
<b>Operating weight</b>	kg	70500	63000
<b>Travel speed</b>	km/h	3.1 - 5.5	3.1 - 5.5
<b>Engine model</b>	-	Scania DC13	Scania DC13
<b>Power (SAE J1995)</b>	hp/kW @ rpm	394/294 @ 1800	394/294 @ 1800
<b>Emission standard</b>	-	Stage V	Stage V
<b>Pin reach</b>	mm	18000	10300
<b>Pin depth</b>	mm	N/A	5965
<b>Pin height</b>	mm	31000	9690
<b>Length</b>	mm	22300	12230
<b>Width</b>	mm	2990	2990
<b>Variable undercarriage width</b>	mm	2970 ~ 4370	2970 ~ 4370
<b>Height</b>	mm	3360	3360

# DOZER



<b>Model</b>		<b>DD130</b>
<b>Operating weight</b>	kg	14.500
<b>Engine power</b>	hp/kW @ rpm	157/117 @2200
<b>Max. traction force</b>	t	22
<b>Travelling Performance, Travelling Speed</b>	km/h	9
<b>Overall length with blade &amp; Ripper</b>	mm	6030
<b>Overall length with blade only</b>	mm	5035
<b>Overall width (Blades width)</b>	mm (XL/LGP1/LGP2)	3105/3345/3655
<b>XL-Version with 560-mm-shoes</b>	cm <sup>2</sup>	33818
<b>LGP1-Version with 710-mm-shoes</b>	cm <sup>2</sup>	42875
<b>LGP2-Version with 760-mm-shoes</b>	cm <sup>2</sup>	45895

# ATTACHMENTS


## DO IT ALL!

Range of Develon Buckets, Breakers, Quick Couplers, Pallet Forks and more...

For: Develon wheel loaders, crawler and wheeled excavators.



**DISCOVER MORE:**



HD Hyundai Infracore Europe, s.r.o.  
IBC - Pobřežní 620/3, 186 00 Praha 8-Karlín  
Czech Republic

©2025 DEVELON D4600683-EN (03/25)

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice.

Specification(s) for your individual Develon equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Develon units may show other than standard equipment.

**DEVELON**